

ULTRA BRAKE

PRODUCT CATALOG



ZHEJIANG WANHONG AUTO PARTS CO., LTD

Add: No. 75, Changxing 1st Road, Songyang
County, Lishui City, Zhejiang, China

Website: www.ultra-brake.com

Email: info@ultra-brake.com

Mobile: +8615867107717



ZHEJIANG WANHONG AUTO PARTS CO., LTD

THE JOURNEY OF THOUSANDS OF RIVERS
AND MOUNTAINS IS ESCORTED BY GOOD LUCK



万鸿汽配



CCC Certification



IATF16949



IATF16949



ISO14001

ISO14001

ULTRA BRAKE

COMPANY PROFILE

R&D CENTER



Zhejiang Wanhong Auto Parts Co., Ltd., is a China leading brake pads and brake linings manufacturer with their brand Ultra Brake. Our cutting-edge manufacturing solutions are equipped with the advanced automation manufacturing system for precision and consistency, including the most advanced automatic batching system, automatic drum lining hot pressing system, robot operating system for disc hot pressing process, inner arc grinding, automatic CNC drilling, outer arc grinding, and automatic packaging line. All that ensures superior product quality and efficiency in our brake pads and linings. Our advanced laboratory rigorously tests raw materials and finished products, supported by a senior engineering team dedicated to formula innovation and development, providing technical support for the long-term development of the company. Ultra Brake successfully passed the international IATF-16949 and 3C certifications, and complied with ISO14001 production standard level.

With a commitment to craftsmanship, we offer a diverse range of products, including heavy truck drums, bus discs, and passenger car disc brake pads, all developed in-house. Our focus on custom manufacturing enables us to meet the unique needs of our clients while maintaining the highest industry standards. Ultra brake can produce 20 million drum brake linings and 5 million sets of intelligent brake pads for passenger vehicles annually.

Ultra Brake is located in Songyang County, Lishui City, Zhejiang Province. The company covers an area of more than 26,666 square meters, with an international standard factory building of about 60,000 square meters, a comprehensive office building of 20,000 square meters, 120 sets of standard staff dormitories, and an employees' activity center of more than 1,000 square meters. Ultra Brake is aiming to offer the best driving experience and the most reliable safety guarantee to the vast number of drivers and passengers.



Material formula research and development



Quality testing

Brake pads
Fully automatic molding system



Post process
Fully automatic processing production line



Hydraulic press forming



Internal arc automatic combination grinder

ULTRA BRAKE

CORPORATE CULTURE

CORPORATE VISION

Precise braking

safety shield

quality leading

renowned throughout the world

ENTERPRISE MISSION

Be brave in innovation

achieve customer success

happy employees

and cooperate for win-win results

CORE VALUES

Professionalism

Focus

Security Protection

CORPORATE SPIRIT

Integrity

Quality

Responsibility

Service

WANGHONGULTRA BRAKE

ULTRA BRAKE

BRAKE LINING



EUROPEAN
vehicle

WVA

BFMC




S-001		17276	MB/60/1	198	182	140	15	200	8	8*15	
S-002		19032	BC/36/1	220	204	180	17.5/10.5	203	10	8*15	BPW
S-003		19017	RW/1/5	210	189	203.2	18.4/15.4	203	16	6*15	DAF
S-004		19036	DF/25/1	205	188	177.8	18.5/14.5	203	12	6*15	SAF,TRAILOR YORK TRAILERS
S-005		19037	DF/24/1	211	194	177.8	18.5/10.5	203	12	6*15	SAF,TRAILOR YORK TRAILERS
S-006		19063	DF/48/1	205	181	200	20.5/13	205	16	6*15	BOVA,DAF
S-007		19064	DF/49/1	204	178	200	20.5/18	205	16	6*15	BOVA,DAF
S-008		19090	VL/87/2	192	177	174	18/13	200	14	6*15	AWD,BEDFORD
S-009		19094	BC/37/1	220	204	200	17.5/10.5	203	10	8*15	BPW
S-010		19150	DF/20/3	231	211	152	18.5/9.4	205	10	6*15	BOVA,DAF
S-011		19151	DF/21/3	245	219	152	18.6/13.8	205	10	6*15	BOVA,DAF
S-012		19160	MB/51/1	205	186	170	15	205	8	8*18	MERCEDES-BENZ
S-013		19187	RN/104/1	206	187	220	18.5	190	8	8*15	HEULIEZ,RENAULT
S-014		19245	SY/23/1	200	184	160	14.5	195	8	10*18	STEYR
S-015		19246	SY/24/1	201	184	185	14.5	195	8	10*18	STEYR
S-016		19256	DF/16/2	233	215	178	18/9	203	14	6*15	BOVA,DAF,NEOPLAN
S-017		19260	DF/17/2	239	220	178	19/5	203	14	6*15	BOVA,DAF,NEOPLAN

ULTRA BRAKE

EUROPEAN
vehicle

WVA

BFMC




S-018		19262	PB/25/1	217	204	180	21/17	195	14	8*15	PERROT BREMSEN
S-019		19263	PB/25/2	217	204	200	21/17	195	14	8*15	PERROT BREMSEN
S-020		19366	RW/1/3	206	188	203	18/15	203	16	6*15	TRAILOR,FRUEHAUF,BENALU
S-021		19367	RW/2/3	212	191	203	18/10	203	16	6*15	TRAILOR,FRUEHAUF,BENALU
S-022		19369	FU/5/4	212	191	219	18/10	203	12	6*15	SAF,TRAILOR YORK TRAILERS
S-023		19370	FU/4/4	206	188	219	18/15	203	12	6*15	SAF,TRAILOR YORK TRAILERS
S-024		19384	CW/4/1	207	187	178	18/12.8	185	12	6*15	
S-025		19486	MP/31/1	195	180	163	17/13	200	8	8*18	MAN,MERCEDES-BENZ
S-026		19487	MP/32/1	194	180	183	17/13	200	8	8*18	MAN,MERCEDES-BENZ
S-027		19488	MP/36/1	194	180	220	17/13	200	8	8*18	MAN,MERCEDES-BENZ
S-028		19494	MP/31/2	195	180	163	17/13	200	8	8*18	MAN,MERCEDES-BENZ
S-029		19495	MP/32/2	194	180	183	17/13	200	8	8*18	MAN,MERCEDES-BENZ
S-030		19496	MP/36/2	194	180	220	17/13	200	8	8*18	MAN,MERCEDES-BENZ
S-031		19555	RW/28/2	209	192	180	21/13.8	200	12	8*15	MERITOR,ROCKWELL
S-032		19562	VL/76/1	213	192	203	18.8/12	192	12	6*15	VOLVO,HEULIEZ
S-033		19563	VL/77/1	165	149	203	18.8/15	192	9	6*15	VOLVO,HEULIEZ
S-034		19579	MB/75/1	200	175	162	18/15	201	8	8*20	MAN,MERCEDES-BENZ

EUROPEAN
vehicle

WVA

BFMC




S-035		19580	MB/74/1	235	218	162	18/9	201	10	8*20	MAN,MERCEDES-BENZ
S-036		19581	MB/77/1	195	175	222	18/15	201	8	8*20	MAN,MERCEDES-BENZ
S-037		19582	MB/76/1	235	218	222	18/9	201	10	8*20	MAN,MERCEDES-BENZ
S-038		19591	BC/81/1	220	204	220	17.5/10.5	203	10	8*15	BPW
S-039		19799	VL/82/1	165	146	254	18.8/15	191.5	9	6*15	VOLVO,HEULIEZ
S-040		19800	VL/81/1	213	190	254	18.8/12	191.5	12	6*15	VOLVO,HEULIEZ
S-041		19890	DF/32/1	207	181	200	19.1/16.8	203	16	6*15	BOVA,DAF
S-042		19891	DF/33/1	200	181	200	18.5/12.8	203	16	6*15	BOVA,DAF
S-043		19931	SV/40/2	260	235	178	19	187	16	6*15	SCANIA
S-044		19932	SV/41/2	260	235	204	19	187	16	6*15	SCANIA
S-045		19933	SV/42/2	259		254	19	187	16	6*15	SCANIA
S-046		19935	RN/101/1	205	184	174	18.5	189	8	8*18	RENAULT
S-047		19938	VL/87/1	192		175	18.7/13.7	200	12	6*15	VOLVO
S-048		19939	VL/88/1	195	179	200	17.5/13	200	14	6*15	VOLVO
S-049		19940	VL/89/1	192		225	18.7/13.7	200	14	6*15	VOLVO
S-050		19977		209	191	203.2	17.6/11.3	203	16	6*15	

ULTRA BRAKE

CHINESE
vehicle


Item



Item	Image	Model	146	137	160	14.5	195	6	10*18	STEYR
S-098		STEYR F1	146	137	160	14.5	195	6	10*18	STEYR
S-099		STEYR F2	200	184	160	14.5	195	8	10*18	STEYR
S-100		STEYR R	201	184	185	14.5	195	8	10*18	STEYR
S-101		HOWO1	201		220	15	195	8	10*18	HOWO
S-102		HOWO2	204		220	15	195	14	10*18	HOWO
S-103		EQ153 F	200	182	130	14.5	185	6	8*15	DONGFENG
S-104		EQ153 R	213	193	180	17	187	9	10*18	DONGFENG
S-105		NEW EQ153 F	208		150	15	185	10	6*15	YUTONG,KINGLONG,HIGER
S-106		NEW EQ153 R	208		220	15	185	15	6*15	YUTONG,KINGLONG,HIGER
S-107		CA9T F	209		150	14.5	185	8	8*15	FAW
S-108		CA9T R	210		200	14.5	185	12	8*15	FAW

KOREA
vehicle

Item



Item	Image	Model	205	155	18/10	200	10	7*15	HYUNDAI	
S-109		HYUNDAI BUS F1	205		155	18/10	200	10	7*15	HYUNDAI
S-110		HYUNDAI BUS F2	202		155	18/16	200	10	7*15	HYUNDAI
S-111		HYUNDAI BUS R1	200		220	18/16	200	13	6*15	HYUNDAI
S-112		HYUNDAI BUS R2	195		220	18/10.5	200	13	6*15	HYUNDAI
S-113		DAWOO BUS F	208		150	16	187	12	7*15	DAWOO
S-114		DAWOO BUS R	208		220	19	187	17	7*15	DAWOO
S-115		DAWOO F	208		150	16	185	10	6*15	DAWOO
S-116		DAWOO R	206		200	16	190	16	6*15	DAWOO
S-117		HYUNDAI R1	200		220	18/15	200	16	6*15	HYUNDAI
S-118		HYUNDAI R2	202		220	18/11	200	16	6*15	HYUNDAI






ULTRA BRAKE







**BRAKE
PAD**



ULTRA BRAKE







ZHEJIANG WANHONG AUTO PARTS CO., LTD







NUMBER	MODEL	STANGARD	GM MODELS	HOLE DIAGRAM
S-001	WVA29043	203.6x95.5x24mm	29050 29051 Brake LUCAS RENAULTV.I.	
S-002	WVA29055	175.45x85.45x22mm	29057 Brake PERROT-WABCO MAN NEOPLAN	
S-003	WVA29064	117.6x107x21mm	20727 29063 Brake BREMBO MENARNI	
S-004	WVA29072	169.5x97.5x19.2mm	Brake BREMBO MENARINI RENAULTV.I.	
S-005	WVA29077	204.5x106x26.85mm	29092 Brake PERROT-WABCO DAF NEOPLAN	
S-006	WVA29087	247.4x109.5x30mm	29105 29106 29108 29109 29163 29179 29201 29202 BOVA BPW DAF ERF FRUEHAUF GIGANT IVECO LECITRAILER MAN MERCEDES-BENZ NEOPLAN SAF-SAUER-SCANIA SETRA (EVOBUS GMBH) SMB YORK TRAILERS	

NUMBER	MODEL	STANGARD	GM MODELS	HOLE DIAGRAM
S-007	WVA29008	258x112.3x18mm	Brake SETRA (EVOBUS GMBH)	
S-008	WVA29011	240.5x124.8x25mm	Brake BENDIX IVECO	
S-009	WVA29017	190.8x86.85x23mm	29024 29026 Brake PERROT DAF IVECO LEYLAND	
S-010	WVA29030	249.5x118.1x28mm	29083 29113 Brake LUCAS DAF ERF IVECO MAN VAN HOOL MERCEDES-BENZ RENAULTV. I. SETRA(EVOBUS GMBH)	
S-011	WVA29032	205.6x109.8x25mm	Brake BENDIX BEDFORD (GM) IVECO	
S-012	WVA29033	175.5x78x22mm	21302 29302 Brake LUCAS IVECO	

NUMBER	MODEL	STANGARD	GM MODELS	HOLE DIAGRAM
S-013	WVA29090	249x114.44x28.3mm	Brake LUCAS DENNIS VOLVO RENAULTV. I.	
S-014	WVA29099	213.75x111.75x25.25mm	Brake LUCAS IVECO NISSAN	
S-015	WVA29100	213.75x111.75x25.25mm	Brake LUCAS RENAULTV. I.	
S-016	WVA29119	204.1x99.64x29.85mm	Brake PERROT-WABCO DAF RENAULTV. I.	
S-017	WVA29120	247.4x105x30mm	Brake HALDEX SCANIA	
S-018	WVA29122	174.6x85.4x22mm	Brake BREMBO IVECO	

NUMBER	MODEL	STANGARD	GM MODELS	HOLE DIAGRAM
S-019	WVA29124	205.4x102x27.4mm	Brake MERITOR(R. O. R)	
S-020	WVA29125	249.2x111x29mm	Brake MERITOR VOLVO	
S-021	WVA29131	249.3x117.9x30.25mm	Brake MERITOR RENAULTV. I.	
S-022	WVA29136	175.2x88.5x29.2mm	Brake MERITOR VOLVO	
S-023	WVA29137	209.8x101.8x29.2mm	Brake MERITOR VOLVO	
S-024	WVA29152	150.5x114.54x25.85mm	Brake PERROT	

NUMBER	MODEL	STANGARD	GM MODELS	HOLE DIAGRAM
S-025	WVA29159	210.2x92.3x30mm	29126 Brake PERROT-WABCO DAF DENNIS GIGANT RENAULTV. . SAF-SAUER	
S-026	WVA29162	210.4x109.5x31mm	Brake PERROT- WABCO SAF-SAUER	
S-027	WVA29165	210.2x92.5x30mm	29215 BPW	
S-028	WVA29167	247.2x109.5x30mm	29216 Brake BPW	
S-029	WVA29171	210.1x107.8x30mm	BPW MERCEDES-BENZ SAF-SAUER	
S-030	WVA29174	249.3x109.68x29.3mm	29204 29219 29226 BPW MERCEDES-BENZ SAF-SAUER	

NUMBER	MODEL	STANGARD	GM MODELS	HOLE DIAGRAM
S-031	WVA29324	149.61x81.5x20.3mm	29764 Brake ATE MERCEDES-BENZ	
S-032	WVA29510	385x140.84x29mm	20510 Brake ATE SETRA(EVOBUS GMBH)	
S-033	WVA29625	135.95x103.85x23.85mm	Brake PERROT AVIA (MOTOR IBERICA)	
S-034	WVA29626	150.5x114.54x25.85mm	Brake PERROT PERLINI	
S-035	WVA29747	139x121x31.5mm	BOVA DAF NEOPLAN SETRA(EVOBUS GMBH) VAN HOOL VOLVO	
S-036	WVA29835	174.8x85.6x22mm	Brake LUCAS HINO OPTARE MERCEDES-BENZ	

ULTRA BRAKE

ZHEJIANG WANHONG AUTO PARTS CO., LTD

Add: No. 75, Changxing 1st Road, Songyang
County, Lishui City, Zhejiang, China

Website: www.ultra-brake.com

Email: info@ultra-brake.com

Mobile: +8615867107717

CONTACT US NOW

